

TRIMMER & BRUSH CUTTER

The new stars in the workplace

Super Garden brush cutters and grass trimmers quickly remove long grass and unwanted weeds. These machines are for those who like the maximum cutting performance and easy access to difficult-to-reach areas.



Item No:	SGB2601R
Engine Displacement:	25.4cc
Engine Power:	0.7kw/7500r/min
Fuel Tank Capacity:	600ml
Pipe Diameter:	26mm
Cutting Width:	410mm (Grass Trimmer)
G.W/N.W.:	7.5 / 6.5 kg
Ctn Size:	172*30*23/11cm
Qty/20'40'40Hq:	340 / 680pcs



Item No:	SGB4301U
Engine Displacement:	42.7cc
Engine Power:	1.35kw/7500r/min
Fuel Tank Capacity:	1200ml
Pipe Diameter:	26mm
Cutting Width:	255mm (Brush Cutter) 440mm(Grass Trimmer)
G.W/N.W.:	8.8 / 7.8 kg
Ctn Size:	330 x 230 x 330mm (engine) 1650 x 100 x 110mm (shaft)
Qty/20'40'40Hq:	650 / 1300pcs



Item No:	SGB4302U
Engine Displacement:	42.7cc
Engine Power:	1.35kw/7500r/min
Fuel Tank Capacity:	1200ml
Pipe Diameter:	26mm
Cutting Width:	255mm (Brush Cutter) 440mm(Grass Trimmer)
G.W/N.W.:	8.8 / 7.8 kg
Ctn Size:	330 x 230 x 330mm (engine) 1650 x 100 x 110mm (shaft)
Qty/20'40'40Hq:	650 / 1300pcs



Item No:	SGB2602U
Engine Displacement:	25.4cc
Engine Power:	0.7kw/7500r/min
Fuel Tank Capacity:	600ml
Pipe Diameter:	26mm
Cutting Width:	255mm (Brush Cutter);440mm (Grass Trimmer)
G.W/N.W.:	7.5 / 6.5 kg
Ctn Size:	330 x 230 x 330mm (engine) 1650 x 100 x 110mm (shaft)
Qty/20'40'40Hq:	650 / 1300pcs



Item No:	SGB2603U
Engine Displacement:	25.4cc
Engine Power:	0.7kw/7500r/min
Fuel Tank Capacity:	600ml
Pipe Diameter:	26mm
Cutting Width:	255mm (Brush Cutter);440mm (Grass Trimmer)
G.W/N.W.:	7.5 / 6.5 kg
Ctn Size:	330 x 230 x 330mm (engine) 1650 x 100 x 110mm (shaft)
Qty/20'40'40Hq:	650 / 1300pcs



Item No:	SGB5201U
Engine Displacement:	52cc
Engine Power:	1.45kw/7500r/min
Fuel Tank Capacity:	1200ml
Pipe Diameter:	26mm
Cutting Width:	255mm (Brush Cutter) 440mm (Grass Trimmer)
G.W/N.W.:	8.8 / 7.8 kg
Ctn Size:	330 x 230 x 330mm (engine) 1650 x 100 x 110mm (shaft)
Qty/20'40'40Hq:	650 / 1300pcs



Item No:	SGB5202U
Engine Displacement:	52cc
Engine Power:	1.45kw/7500r/min
Fuel Tank Capacity:	1200ml
Pipe Diameter:	26mm
Cutting Width:	255mm (Brush Cutter) 440mm (Grass Trimmer)
G.W/N.W.:	8.8 / 7.8 kg
Ctn Size:	330 x 230 x 330mm (engine) 1650 x 100 x 110mm (shaft)
Qty/20'40'40Hq:	650 / 1300pcs



Item No:	SGB3301U
Engine Displacement:	32.5cc
Engine Power:	1.0kw/7500r/min
Fuel Tank Capacity:	900ml
Pipe Diameter:	26mm
Cutting Width:	255mm (Brush Cutter) 440mm(Grass Trimmer)
G.W/N.W.:	7.8 / 6.8 kg
Ctn Size:	330 x 230 x 330mm (engine) 1650 x 100 x 110mm (shaft)
Qty/20'40'40Hq:	650 / 1300pcs



Item No:	SGB3302U
Engine Displacement:	32.5cc
Engine Power:	1.0kw/7500r/min
Fuel Tank Capacity:	900ml
Pipe Diameter:	26mm
Cutting Width:	255mm (Brush Cutter) 440mm
G.W/N.W.:	7.8 / 6.8 kg
Ctn Size:	330 x 230 x 330mm (engine) 1650 x 100 x 110mm (shaft)
Qty/20'40'40Hq:	650 / 1300pcs



Item No:	SGB430B
Engine Displacement:	42.7cc
Engine Power:	1.45kw/7500r/min
Fuel Tank Capacity:	1200ml
Pipe Diameter:	26mm
Cutting Width:	255mm (Brush Cutter) 440mm(Grass Trimmer)
G.W/N.W.:	11.8 / 10.8 kg
Ctn Size:	330 x 230 x 330mm (engine) 1650 x 100 x 110mm (shaft)
Qty/20'40'40Hq:	485 / 970pcs



Item No:	SGB139B
Engine Displacement:	31cc
Engine Power:	1.1kw/7500r/min
Fuel Tank Capacity:	750ml
Pipe Diameter:	26mm
Cutting Width:	255mm (Brush Cutter) 440mm(Grass Trimmer)
G.W/N.W.:	12.0 / 11.0kg
Ctn Size:	330 x 230 x 600mm (engine) 1650 x 100 x 110mm (shaft)
Qty/20'40'40Hq:	485 / 970pcs



GASOLINE CHAIN SAW

Power and performance

Super garden's easy to cut design of chainsaw, 12 years of manufacturing experience, 20 different collection, covering from use to professional models. Super garden's chainsaw and engine tools could meet your family members' needs well.



Item No:	SGS2501
Displacement:	25.4cc
Engine Power:	0.9kw
Idle Speed:	3000r/min
Guide Bar Size:	10" / 12"
Chain:	Oregon / Chinese
G.W/N.W:	5.0 / 4.0 kg
Ctn Size:	320 x 250 x 250mm
Qty/20'40'40Hq:	1400 / 2800 / 3400pcs

Item No:	SGS2601
Displacement:	25.4cc
Engine Power:	0.9kw
Idle Speed:	3000r/min
Guide Bar Size:	10" / 12"
Chain:	Oregon / Chinese
G.W/N.W:	5.0 / 4.0 kg
Ctn Size:	320 x 250 x 250mm
Qty/20'40'40Hq:	1400 / 2800 / 3400pcs



Item No:	SGS3801
Displacement:	37.2cc
Engine Power:	1.4kw
Idle Speed:	3000r/min
Guide Bar Size:	14" / 16"
Chain:	Oregon / Chinese
G.W/N.W:	7.0 / 6.0 kg
Ctn Size:	445 x 260 x 300mm
Qty/20'40'40Hq:	850 / 1700pcs



Item No:	SGS4501
Displacement:	45cc
Engine Power:	1.7kw/8000r/min
Idle Speed:	3000r/min
Guide Bar Size:	16" / 18"
Chain:	Oregon / Chinese
G.W/N.W:	7.5 / 6.5 kg
Ctn Size:	480 x 260 x 300mm
Qty/20'40'40Hq:	750 / 1500 / 1800pcs



Item No:	SGS4502S
Displacement:	45cc
Engine Power:	1.7kw/8000r/min
Idle Speed:	3000r/min
Guide Bar Size:	16" / 18"
Chain:	Oregon / Chinese
G.W/N.W:	7.5 / 6.5 kg
Ctn Size:	480 x 260 x 300mm
Qty/20'40'40Hq:	750 / 1500 / 1800pcs

Item No:	SGS5202S
Displacement:	52cc
Engine Power:	2.1kw/8000r/min
Idle Speed:	3000r/min
Guide Bar Size:	16" / 18" / 20"
Chain:	Oregon / Chinese
G.W/N.W:	8.0 / 7.0kg
Ctn Size:	480 x 260 x 300mm
Qty/20'40'40Hq:	750 / 1500 / 1800pcs

Item No:	SGS5802S
Displacement:	58cc
Engine Power:	2.2kw/8000r/min
Idle Speed:	3000r/min
Guide Bar Size:	16" / 18" / 20"
Chain:	Oregon / Chinese
G.W/N.W:	8.0 / 7.0kg
Ctn Size:	480 x 260 x 300mm
Qty/20'40'40Hq:	695 / 1390pcs



Item No:	SGS4503
Displacement:	45cc
Engine Power:	1.7kw/8000r/min
Idle Speed:	3000r/min
Guide Bar Size:	16" / 18"
Chain:	Oregon / Chinese
G.W/N.W:	7.5 / 6.5 kg
Ctn Size:	480 x 260 x 300mm
Qty/20'40'40Hq:	750 / 1500 / 1800pcs



Item No:	SGS5801
Displacement:	58cc
Engine Power:	2.2kw/8000r/min
Idle Speed:	3000r/min
Guide Bar Size:	16" / 18" / 20"
Chain:	Oregon / Chinese
G.W/N.W:	8.0 / 7.0 kg
Ctn Size:	480 x 280 x 300mm
Qty/20'40'40Hq:	695 / 1390pcs



Item No:	SGS6201
Displacement:	62cc
Engine Power:	2.7kw/8000r/min
Idle Speed:	3000r/min
Guide Bar Size:	18" / 20"
Chain:	Oregon / Chinese
G.W/N.W:	9.0 / 8.5kg
Ctn Size:	575 x 280 x 310mm
Qty/20'40'40Hq:	695 / 1390pcs



Item No:	SGS6202
Displacement:	62cc
Engine Power:	2.7kw/8000r/min
Idle Speed:	3000r/min
Guide Bar Size:	18" / 20"
Chain:	Oregon / Chinese
G.W/N.W:	9.0 / 8.5kg
Ctn Size:	575 x 280 x 310mm
Qty/20'40'40Hq:	695 / 1390pcs



GASOLINE LAWN MOWER

Manufacture equipment system

Copyright © 2010 Super Garden. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from Super Garden. All other trademarks are the property of their respective owners.



Item No: SGM4101P-W
Drive Type: Hand push
Engine Power: 1.6kw
Rated Speed: 3000r/min
Displacement: 94cc
Cutting Heights: 25-40-55mm / 3 grades
Noise Level: 96dB
Height Adjustment: 4 wheels individual adjustment
Cutting Width: 410mm (16")
Catcher Volume: 40L
Deck Material: Steel
Front Wheel: 6"
Rear Wheel: 6"
G.W/N.W.: 22 / 20 kg
Package: Carton Box
Ctn Size: 660 x 500 x 440mm
Qty/20'40'40Hq: 225 / 450 / 540pcs



Item No: SGM4101P-C
Drive Type: Hand push
Engine Power: 1.6kw
Rated Speed: 3000rpm
Displacement: 94cc
Cutting Heights: 25-75mm With 7 Grades
Noise Level: 96dB
Height Adjustment: Central Adjustment
Cutting Width: 410mm (16")
Catcher Volume: 40L
Deck Material: Steel
Front Wheel: 6"
Rear Wheel: 8"
G.W/N.W.: 22 / 20 kg
Package: Carton Box
Ctn Size: 660 x 500 x 440mm
Qty/20'40'40Hq: 195 / 410 / 492pcs



Item No: SGM4102P
Drive Type: Hand push
Engine Power: 1.6kw
Rated Speed: 3000r/min
Displacement: 94cc
Cutting Heights: 25-40-55mm With 3 Grades
Height Adjustment: 4 Wheel Individual Adjustment
Cutting Width: 410mm (16")
Catcher Volume: 40L
Noise Level: 96dB
Deck Material: plastic
Front Wheel: 6"
Rear Wheel: 6"
G.W/N.W.: 19.0 / 17.0kgs
Package: Carton Box
Ctn Size: 665 x 460 x 375mm
Qty/20'40'40Hq: 258 / 528 / 616pcs



Item No: SGM4101S
Drive Type: Self propelled
Engine Power: 1.6kw
Rated Speed: 3000r/min
Displacement: 94cc
Cutting Heights: 25-75mm With 7 Grades
Noise Level: 96dB
Height Adjustment: Central Adjustment
Cutting Width: 410mm (16")
Catcher Volume: 40L
Deck Material: Steel
Front Wheel: 6"
Rear Wheel: 8"
G.W/N.W.: 24 / 22 kg
Package: Carton Box
Ctn Size: 660 x 500 x 440mm
Qty/20'40'40Hq: 195 / 410 / 492pcs



GASOLINE LAWN MOWER

Manufacture equipment system

Super Garden is a professional manufacturer of various types of lawn mowers, trimmers, blowers, etc. We have a complete set of production equipment and a professional technical team. We can provide you with the best quality products and the most competitive prices.



Item No: SGM4801S
Drive Type: Self propelled
Engine Power: 2.5kw / 3.2kw
Rated Speed: 3000pm
Displacement: 139cc / 173cc
Cutting Heights: 25-75mm With 8 Grades
Noise Level: 96dB
Height Adjustment: Central Adjustment
Cutting Width: 480mm (19")
Catcher Volume: 62L
Deck Material: Steel
Front Wheel: 7"
Rear Wheel: 10"
G.W/N.W.: 40 / 38 kgs
Packing: Carton box
Ctn Size: 820 x 550 x 500mm
Qty/20'40'40Hq: 112 / 228 / 285pcs



Item No: SGM5301S
Drive Type: Self propelled
Engine Power: 3.2kw
Rated Speed: 3000r/min
Displacement: 173cc
Cutting Heights: 25-75mm With 8 Grades
Height Adjustment: Central Adjustment
Noise Level: 98dB
Cutting Width: 530mm (21")
Catcher Volume: 62L
Deck Material: Steel
Front Wheel: 7"
Rear Wheel: 10"
G.W/N.W.: 40 / 38 kg
Packing: Carton box
Ctn Size: 845 x 580 x 500mm
Qty/20'40'40Hq: 104 / 216 / 270pcs



Item No: SGM5303BS
Drive Type: Self propelled
Engine Power: 2.68kw, BS750EX-DOV
Rated Speed: 3000r/min
Displacement: 161cc
Cutting Heights: 25-75mm With 8 Grades
Height Adjustment: Central Adjustment
Noise Level: 98dB
Cutting Width: 530mm (21")
Catcher Volume: 62L
Deck Material: Steel
Front Wheel: 7"
Rear Wheel: 10"
G.W/N.W.: 40 / 38 kg
Packing: Carton box
Ctn Size: 845 x 580 x 500mm
Qty/20'40'40Hq: 104 / 216 / 270pcs



Item No: SGM5302L
Drive Type: Self propelled
Engine Power: 3.5kw, LONCIN-LC1P70FA
Rated Speed: 3000r/min
Displacement: 196cc
Cutting Heights: 25-75mm With 8 Grades
Height Adjustment: Central Adjustment
Noise Level: 98dB
Cutting Width: 530mm (21")
Catcher Volume: 62L
Deck Material: Steel
Front Wheel: 7"
Rear Wheel: 10"
G.W/N.W.: 40 / 38 kg
Packing: Carton box
Ctn Size: 845 x 580 x 500mm
Qty/20'40'40Hq: 104 / 216 / 270pcs

